



Professional Manufacturer of Solar Panel

CHINA SOLAR LTD

Green Economy

Green Energy

Flexible Solar Panel

Flexible solar panel is built with the latest most efficient monocrystalline silicon solar cell, with high light transmittance, high strength and durability.

Flexible solar panel can be used to charge an electric car, electric bike, boat, smart devices, power bank, etc. or you can take it to travel, or outdoor camping. It has a wide range of DIY mounting applications.

Flexible solar panel can be easily fixed to your canopy, car roof rack, bike, trailer, caravan, or even boat, these panels offer enough flex to be mounted on curves or uneven surfaces.

Solar Panel Application :

- **Flexible solar panel for car, boat, bike, electric cycle**
- **Flexible solar panel for bus stops, bus shelter and balconies**
- **Flexible solar panel for school project, DIY projects**
- **Flexible solar panel for agricultural canopy, irrigation system**
- **Flexible solar panel for road sign lights, navigation lights, garden lights**
- **Flexible solar panel for outdoor monitoring systems, security systems**
- **Other applications**



CHINA SOLAR LTD

Email: market@solars-china.com

Website: www.solars-china.com


TEL: +86 755 83515659

Green Energy


Green Economy

Designer and Manufacturer of Solar Panel

Flexible Solar Panel



- Maximum Power(Pm): 5W
- Operating Voltage(Vmp): 5V
- Operating Current(Imp): 1A
- Dimension: 200x165x3mm
- Model No.: KS-FR200165F




- Maximum Power(Pm): 8W
- Operating Voltage(Vmp): 5.5V
- Operating Current(Imp): 1.45A
- Dimension: 240x200x3mm
- Model No.: KS-FR240200F




- Maximum Power(Pm): 10W
- Operating Voltage(Vmp): 12V
- Operating Current(Imp): 833mA
- Dimension: 320x200x3mm
- Model No.: KS-FR320200F



- Maximum Power(Pm): 16W
- Operating Voltage(Vmp): 18V
- Operating Current(Imp): 889mA
- Dimension: 460x200x3mm
- Model No.: KS-FR460200F



- Maximum Power(Pm): 20W
- Operating Voltage(Vmp): 18V
- Operating Current(Imp): 1.11A
- Dimension: 420x280x3mm
- Model No.: KS-FR420280F



- Maximum Power(Pm): 25W
- Operating Voltage(Vmp): 18V
- Operating Current(Imp): 1.38A
- Dimension: 662x280x3mm
- Model No.: KS-FR662280F

Product Description:

Flexible solar panel are manufactured using the most efficient monocrystalline solar cells.

Cell Type: Monocrystalline solar cells.

Encapsulation Methods: ETFE Lamination / PET Lamination

The thickness of ETFE solar panel: 2mm-3mm.

Operation life: 5 years - 10 years.

Standard test conditions(STC): AM1.5, Irradiance:1000W/㎡, Module temperature:25°C.

Flexible Solar Panel




- Maximum Power(Pm): 10W
- Operating Voltage(Vmp): 6V
- Operating Current(Imp): 1.67A
- Dimension: 440x190x3mm
- Model No.: KS-FR440190F



- Maximum Power(Pm): 10W
- Operating Voltage(Vmp): 12V
- Operating Current(Imp): 833mA
- Dimension: 438x192x3mm
- Model No.: KS-FR438192F




- Maximum Power(Pm): 10W
- Operating Voltage(Vmp): 18V
- Operating Current(Imp): 556mA
- Dimension: 442x192x3mm
- Model No.: KS-FR442192F



- Maximum Power(Pm): 10W
- Operating Voltage(Vmp): 5V
- Operating Current(Imp): 2A
- Dimension: 220x190x3mm
- Model No.: KS-FR220190F



- Maximum Power(Pm): 6W
- Operating Voltage(Vmp): 6V
- Operating Current(Imp): 1A
- Dimension: 280x155x3mm
- Model No.: KS-FR280155F



- Maximum Power(Pm): 4W
- Operating Voltage(Vmp): 18V
- Operating Current(Imp): 222mA
- Dimension: 470x60x3mm
- Model No.: KS-FR47060P

Product Description:

Flexible solar panel are manufactured using the most efficient monocrystalline solar cells.

Cell Type: Monocrystalline solar cells.

Encapsulation Methods: ETFE Lamination / PET Lamination

The thickness of ETFE solar panel: 2mm-3mm.


Operation life: 5 years - 10 years.

Standard test conditions(STC): AM1.5, Irradiance:1000W/m², Module temperature:25°C.

Flexible Solar Panel



- Maximum Power(Pm): 4W
- Operating Voltage(Vmp): 6V
- Operating Current(Imp): 667mA
- Dimension: 397x90x3mm
- Model No.: KS-FR39790F



- Maximum Power(Pm): 20W
- Operating Voltage(Vmp): 18V
- Operating Current(Imp): 1.11A
- Dimension: 380x320x3mm
- Model No.: KS-FR380320F



- Maximum Power(Pm): 32W
- Operating Voltage(Vmp): 18V
- Operating Current(Imp): 1.78A
- Dimension: 470x380x3mm
- Model No.: KS-FR470380F



- Maximum Power(Pm): 10W
- Operating Voltage(Vmp): 18V
- Operating Current(Imp): 556mA
- Dimension: 445x180x3mm
- Model No.: KS-FR445180F



- Maximum Power(Pm): 10W
- Operating Voltage(Vmp): 18V
- Operating Current(Imp): 556mA
- Dimension: 440x180x3mm
- Model No.: KS-FR440180F



- Maximum Power(Pm): 15W
- Operating Voltage(Vmp): 18V
- Operating Current(Imp): 833mA
- Dimension: 450x220x3mm
- Model No.: KS-FR450220F

Product Description:

Flexible solar panel are manufactured using the most efficient monocrystalline solar cells.

Cell Type: Monocrystalline solar cells.

Encapsulation Methods: ETFE Lamination / PET Lamination

The thickness of ETFE solar panel: 2mm-3mm.

Operation life: 5 years - 10 years.

Standard test conditions(STC): AM1.5, Irradiance:1000W/㎡, Module temperature:25°C.



Professional Manufacturer of Solar Panel

CHINA SOLAR LTD

Green Economy

Green Energy

Company Profile

China Solar Ltd is a Chinese solar panel manufacturer with exclusive production capabilities, founded in 2006. We have a flexible and agile production line, providing unique solar customized solution design and development.

After nearly 20 years of R&D and production, combine experience and innovative thinking, seek innovation in every step and every project, and grow into one of the most flexible solar manufacturers in the world.

We constantly innovate to deliver latest photovoltaics technologies to our production and to adapt to changing needs of solar market. Our design and development team will assist through all stages of project development: from design sketch to working prototype and series production.

We stick to strict quality control, from raw material sourcing, manufacturing process to finished product testing, we pay attention to details in each step, to provide customers with high-quality solar panels.

If you need further information, please feel free to contact us at any time. China Solar Ltd will become your most trusted partner with rich industry experience and professional technology.

 **Email: market@solars-china.com**

 **Website: www.solars-china.com**

 **TEL: +86 755 83515659**

CHINA SOLAR LTD

Email: market@solars-china.com

Website: www.solars-china.com

TEL: +86 755 83515659

Green Energy

Green Economy

Designer and Manufacturer of Solar Panel